

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20150415-R38231  
**Report Reference** R38231-20150414  
**Issue Date** 2015-APRIL-15

**Issued to:** Flame Seal Products Inc  
15200 West Drive  
Houston TX 77053

**This is to certify that  
representative samples of**

PROTECTIVE COVERINGS FOR FOAMED PLASTIC  
Flame Seal TB-C

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** CAN/ULC-S124-06, Standard Method of Test for the  
Evaluation of Protective Coverings for Foamed Plastic.

**Additional Information:** See the ULC Online Certification Directory at [www.ulc.ca](http://www.ulc.ca)  
for additional information

Only those products bearing the ULC Listing Mark should be considered as being covered by ULC's  
Listing and Follow-Up Service.

The ULC Listing Mark generally includes the following elements: the symbol ULC in a circle:  with  
the word "LISTED"; a control number (may be alphanumeric) assigned by ULC; and the product  
category name (product identifier) as indicated in the appropriate ULC Directory.

To confirm the status, validate the above information via the online directory.

Look for the ULC Listing Mark on the product.



Joseph Hosey, General Manager, Director of Sales - Canada

UNDERWRITERS LABORATORIES OF CANADA INC.

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized  
licensee of ULC. For questions, please contact a local ULC Customer Service Representative at <http://ul.com/aboutul/locations/>

